



The future is clean air ... the future is **Sourcetec**®

TAILPIPE EXHAUST ADAPTORS



Description

Adaptors are for attachment to the tailpipe / stack which in turn protects the exhaust hose.



Multiple options available depending on the type of vehicle. Sourcetec also manufactures custom adaptors to suit all applications.



Steel Adaptors

	Steel Adaptor with Spring Loaded Damper	Part No.
	3" (76mm) Hose Connection / 3" (76mm) Opening	1603
	4" (100mm) Hose Connection / 4" (100mm) Opening	1604
	5" (125mm) Hose Connection / 5" (125mm) Opening	1605
	6" (150mm) Hose Connection / 6" (150mm) Opening	1606
	8" (200mm) Hose Connection / 8" (200mm) Opening	1608
	Steel Adaptor with Hand Pincer and Manual Damper	Part No.
	3" (76mm) Hose Connection / 4-1/2" (114mm) Opening	2603
	4" (100mm) Hose Connection / 5-1/2" (140mm) Opening	2604
	5" (125mm) Hose Connection / 6-1/2" (165mm) Opening	2605
	6" (150mm) Hose Connection / 7-1/2" (190mm) Opening	2606
	8" (200mm) Hose Connection / 9-1/2" (241mm) Opening	2608


Diesel Stack Adaptors

	Galvanized Steel Adaptor With Damper Can Accommodate Rain Cap	Part No.
	3" (76mm) Hose Connection / 6" (150mm) Opening	5D603
	4" (100mm) Hose Connection / 7" (178mm) Opening	5D604
	5" (125mm) Hose Connection / 8" (200mm) Opening	5D605
	6" (150mm) Hose Connection / 9" (229mm) Opening	5D606
	8" (200mm) Hose Connection / 11" (280mm) Opening	5D608
	Stainless Steel Adaptor With Damper Can Accommodate Rain Cap	Part No.
	3" (76mm) Hose Connection / 6" (150mm) Opening	5DSS603
	4" (100mm) Hose Connection / 7" (178mm) Opening	5DSS604
	5" (125mm) Hose Connection / 8" (200mm) Opening	5DSS605
6" (150mm) Hose Connection / 9" (229mm) Opening	5DSS606	
	8" (200mm) Hose Connection / 11" (280mm) Opening	5DSS608
	10" (254mm) Hose Connection / 13" (330mm) Opening	5DSS610
	Rubber Diesel Adaptor Locking Damper Is Optional	Part No.
	5" (125mm) Hose Connection / 8-1/2" (216mm) Opening	9605
	6" (152mm) Hose Connection / 8-1/2" (216mm) Opening	9606






Rubber Tailpipe Adaptors

	Rubber Dual Adaptor With Damper, Steel Coupling, Chain And Hook With Oval Opening	Part No.
	4" (100mm) Hose Connection / 6-1/4" (165mm) x 4" (100mm) Opening	10604
	Rubber Dual Adaptor With Galvanized Neck, Chain And Hook With Manual Damper And Oval Opening	Part No.
	5" (125mm) Hose Connection / 9.75" (248mm) x 4.5" (114mm) Opening	10605
	6" (152mm) Hose Connection / 9.75" (248mm) x 4.5" (114mm) Opening	10606
	Rubber Dual Adaptor Complete With Galvanized Neck, Damper And Vise Grip	Part No.
	4" (100mm) Hose Connection / 7" (178mm) Opening	3604
	5" (152mm) Hose Connection / 7" (178mm) Opening	3605
	6" (152mm) Hose Connection / 7" (178mm) Opening	3606
	8" (203mm) Hose Connection / TBA Opening	3608
	Adaptor With 9" Heavy Duty Rubber Sleeve And Rubber Lifting Attachment	Part No.
	6" (152mm) Hose Connection / 10" (254mm) Opening	12606
	8" (203mm) Hose Connection / 10" (254mm) Opening	12608


Flush Mount

	Flush Mount Adaptor With Rubber Sleeve, No Moving or Mechanical Parts Can Accommodate Exhaust Pipe From 1" Diameter to up to 9" Wide	Part No.
	3" Hose Connection	FM-03
	4" Hose Connection	FM-04

Crushable Adaptors

	Rubber Diesel with Chain and Hook	Part No.
	3" (76mm) And 4" (100mm) Hose Connection 4.25" (108 mm) x 6 1/4" (159mm) Opening	CR325
	Rubber Diesel with Chain and Hook	Part No.
	3" (76mm) And 4" (100mm) Hose Connection 3" (76mm) x 8" (203mm) Opening	CR338
	Rubber Adaptor	Part No.
	3" (76mm) And 4" (100mm) Hose Connection 2 1/2" (63.5mm) x 10" (254mm) Opening	CR3210
	Rubber Diesel Adaptor	Part No.
	4" (102mm) And 5" (125mm) Hose Connection 5 1/2" (140mm) Opening	CRD45
	Rubber Diesel Adaptor	Part No.
	5" (125mm) And 6" (152mm) Hose Connection 8 1/2" (216mm) Opening	CRD58









Cane Nozzle

	Cane Nozzle With Manual Damper For Vertical Stack Vehicles Can Accommodate Rain Cap 8ft. Long	Part No.
	4" (100mm) Hose Connection	7604
	5" (125mm) Hose Connection	7605
	6" (150mm) Hose Connection	7606
	8" (200mm) Hose Connection	7608





Specialty Adaptors

	Modified Rubber Adaptor With Special Clamping Device For Dual Exhaust Pipes Up To 6" (155mm) With Clamping Pliers	Part No.
	4" (100mm) Hose Connection	ECL314-4
	5" (125mm) Hose Connection	ECL315-5
	Modified Rubber Adaptor With Special Clamping Device For Dual Exhaust Pipes Up To 8.25" (210mm) With Clamping Pliers	Part No.
	4" (100mm) Hose Connection	ECL317-4
	5" (125mm) Hose Connection	ECL317-5
	Rubber Adaptor With Hand Pump	Part No.
	4" (100mm) Hose Connection-6" (150mm) x 3.15" (80mm) Tailpipe Opening	FV241-4
	4" (100mm) Hose Connection-8" (200mm) x 4" (100mm) Tailpipe Opening	FV241-6
	Flushmount External Expansion Nozzle	Part No.
	Fit Inside Tailpipe And Use Hand Pump To Expand 4" (100mm) Hose connection with hand pump ***AUDI A6***	FV236-4A
	Fit inside tailpipe and use hand pump to expand 4" (100mm) Hose connection with hand pump ****MERCEDES C**** ****MERCEDES CLA**** ****MERCEDES E GLE****	FV236-4M
	Fit inside tailpipe and use hand pump to expand 4" (100mm) Hose connection with hand pump ****VOLVO XC60, V60, S60 (BEFORE 2015)**** ****MERCEDES E (BEFORE 2013)**** ****MERCEDES R, GLK, GLA 2015**** ****PORSCHE CAYENNE****	FV236-4V
	Fit inside tailpipe and use hand pump to expand 4" (100mm) Hose connection with hand pump ****VOLVO S60, S90 (From 2015-)**** ****VOLVO S60, CROSS COUNTRY (2015-)**** ****VOLVO V40, V60, V90 (2015-)**** ****VOLVO V60 CROSS COUNTRY (2015-)**** ****VOLVO XV60, XC90 (2015-)****	FV236-4V2



Special Solutions

	Double Pipe - Exhaust Nozzle Stand Horizontal and vertical adjustments Mounted on plate with wheels and handles	Part No.
	4" (100mm) Hose Connection	STP-1001-4
	4" (100mm) Hose Connection with quick coupling	STP-1001-4Q
	Exhauster adaptor stand for unique exhaust pipe designs	Part No.
	4" (100mm) Hose Connection	STP-1002-4
	Special adaptor for extraction on downward opening exhaust pipes With vertical adjustment	Part No.
	6" (150mm) Hose Connection	STP-1003-6
	Extension application for special nozzles Extension for special adaptors used on downward opening exhaust pipes	Part No.
	6" (150mm) Hose Connection	STP-1004-6
	Double Pipe - Exhaust Nozzle Stand Horizontal and vertical adjustments Mounted on plate with wheels and handles	Part No.
	4" (100mm) Hose Connection	STP-1001-4
	4" (100mm) Hose Connection with quick coupling	STP-1001-4Q
	Double Pipe - Exhaust Nozzle Stand For vertical adjustment	Part No.
		STP-1006
	Motorcycle Adaptor Stand For double pipe exhaust systems To be used in combination with the 60 degree bend adaptor	Part No.
	Consisting of 2 adaptors 100-154mm with hoses and 1 y fitting	STP-1006
	MB Adaptor Suitable for Mercedes Benz Adjustable holding device, setting via star grip and locking pin	Part No.
	6" (150mm) Hose connection	STP-1006

“Y” Branch For Dual Exhaust

Removable		
5ft HOSES 	3" x 5ft Removable "Y" Kit	Part No.
	Removable Y Fitting - Rubber 3" x 5ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBRC305
	Removable Y Fitting - Rubber 4" x 5ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBRC405
10ft HOSES 	3" x 5ft Removable "Y" Kit	Part No.
	Removable Y Fitting - Rubber 3" x 10ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBRC310
	4" x 5ft Removable "Y" Kit	Part No.
	Removable Y Fitting - Rubber 4" x 10ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBRC410
Permanently Mounted		
5ft HOSES 	3" x 5ft Permanently Mounted "Y" Kit	Part No.
	Permanently Mounted Y Fitting - Galvanized 3" x 5ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBPC305
	4" x 5ft Permanently Mounted "Y" Kit	Part No.
	Permanently Mounted Y Fitting - Galvanized 4" x 5ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBPC405
10ft HOSES 	3" x 10ft Permanently Mounted "Y" Kit	Part No.
	Permanently Mounted Y Fitting - Galvanized 3" x 5ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBPC310
	4" x 10ft Permanently Mounted "Y" Kit	Part No.
	Permanently Mounted Y Fitting - Galvanized 4" x 5ft Lengths Crushable Hose Rubber Crushable Adaptors	5YBPC410

Accessories

	Y - Connector	Part No.
	3" (76mm) x 3" (76mm) Hose Connections	YR-333
	Door Port	Part No.
	Cast Aluminum Door Port - For 3" (76mm)	SDP-3
	Cast Aluminum Door Port - For 4" (102mm) Hose	SDP-4
	Steel Door Port - For 5" (125mm) Hose	SDP-5



The future is clean air ... the future is Sourcetek®

We reserve the right to change specifications without notice.

Sourcetek Industries Inc.

Ontario, Canada

Tel: (905) 678-9333 Fax: (905) 678-7133

Ohio, USA

1-800-784-2383

www.sourcetekindustries.com

E-mail: sales@sourcetekindustries.com

B-ADR 01/18